

gmd-5



WhatsApp Support +9175435913211

Call for Paper

Publication Process

Submit Paper Online

Check Paper Status

UGC Approved Details



# Journal of Emerging Technologies and Innovative Research

( An International Scholarly Open Access Journal, Peer-reviewed, Refereed Journal )  
Impact factor 7.95 Calculate by Google Scholar and Semantic Scholar | AI-Powered Research Tool, Multidisciplinary, Monthly, Multilanguage Journal



2021-22-

UGC Approved Journal no 63975

ISSN: 2349-5162 | ESTD Year : 2014

Call for Paper

Volume 9 | Issue 12 | December 2022

JETIR **E**XPLORE- Search Thousands of research papers

Home

Editorial / RMS ▾

Call For Paper

Research Areas

For Author ▾

Current Issue

Archives ▾

NEW FAQs

Contact Us

ar | JETIR is Scholarly Open Access, Peer-Reviewed (Peer Review), Refereed, Multidisciplinary, Monthly, Multilanguage

23

WhatsApp Contact Click Here

Contact Us Click Here

**Current Issue Details**

**Call for Paper**  
 Volume 9 | Issue 12  
 December 2022  
 Last Date: 31-Dec-2022

**7.95 Impact Factor**  
 Click Here For More Info

**Review Results Notification:**  
 Within 01-02 Days.

**Publication of Paper:**  
 Within 01-02 Days after Submitting All Required documents.

**ISSUE DETAILS**

Current Issue

Archive

Important Resource (Third party ads)

Find help with any tech sciences at [Domyhomework123.com](http://Domyhomework123.com)

[Mypaperwriter.com](http://Mypaperwriter.com) has unique term paper and research paper samples on more than 5000 topics for you to use.

**For Authors**

Call for Paper

Research Area

Author Guidelines

Check Your Paper status

Submit Manuscript online

Sample Paper format

Donation

Hard Copy and DOI Details

Copyright & Undertaking from

Paper statistics

Impact factor

All Approval and Licence

UGC Approval Details

Processing Charges

Pay Fees Online

Conference Proposal

All Policy

How start New Journal & software

Book & Thesis Publications

**Volume 9 | Issue 5 May 2022**

Search Your Paper - For Website Speed We change in display of paper only few paper will display in page other paper will search through search JETIR Search Xplore



[JETIR Journal front page](#)

[Jetir Journal Back Page Index of this issue](#)

[Jetir Editor Page](#)

JETIR Search Xplore - Search by Paper id, Published paper id, Paper Name, Author Name, and Paper Title

Search Your Paper Details.

All Published Paper Digital Library Search Through below Search Option.

JETIR Search Xplore - Search by Paper id, Published paper id, Paper Name, Author

Search All Published Paper Details easy to find any paper.

For Website Speed We change in display of paper only few paper will display in page other paper will search through search JETIR Search Xplore

**Volume 9 | Issue 5 May 2022**

Published Paper - For Website Speed We change in display of paper only few paper will display in page other paper will search through search JETIR Search Xplore

Note : We are still uploading papers. Your patience is highly appreciated.

[Click here to Browse Past Issues](#)

Past Issue

2 page

3 page

**A STUDY ON THE IMPACT OF INTRA-ORGANIZATIONAL RELATIONSHIP FOR DESIGNING A COMPETITIVE WORKFORCE & ACCELERATED ORGANIZATIONAL EFFECTIVENESS WITH SPECIAL REFERENCE TO GUESS CORP Ltd.**

Authors: Dr. R SIVAKAMI, Ms. YASHASWINI P M  
 Registration ID : 402933 | Publication ID : JETIRTHE2009

Year : May-2022 | Volume: 9 | Issue: 5 .

Approved ISSN : 2349-5162 | Country : -, -, India .

JETIR DOI Member ID: 10.6084/m9.jetir.JETIRTHE2009

No of times Downloads: 00286 | Area: Engineering.

Published Paper URL : <https://www.jetir.org/view?paper=JETIRTHE2009>

Published Paper PDF : <https://www.jetir.org/papers/JETIRTHE2009>

Available at : <http://www.jetir.org/papers/JETIRTHE2009.pdf>

[Full Details Text](#)

**Educational Technology Standards Scale And Pedagogical Content Knowledge As Predictors Of Culinary Competence Of Senior High School Student**

Authors: Geoffrey H. Campaner, Viola P. Buenaventura  
 Registration ID : 402924 | Publication ID : JETIRTHE2008

Year : May-2022 | Volume: 9 | Issue: 5 .

Approved ISSN : 2349-5162 | Country : -, -, Phillipines .

JETIR DOI Member ID: 10.6084/m9.jetir.JETIRTHE2008

No of times Downloads: 00264 | Area: Engineering.

Published Paper URL : <https://www.jetir.org/view?paper=JETIRTHE2008>

Published Paper PDF : <https://www.jetir.org/papers/JETIRTHE2008>

Available at : <http://www.jetir.org/papers/JETIRTHE2008.pdf>

**ISSN Number**

INTERNATIONAL  
 STANDARD  
 SERIAL  
 NUMBER

ISSN : 2349-5162



9 772349 516207

JETIR is Scholarly Open Access, Peer-Reviewed (Peer Review), Refereed, Multidisciplinary, Monthly, Multilanguage, Online, Print Journal, Impact factor 7.95  
 Calculate by Google Scholar and Semantic Scholar | AI-Powered Research Tool, ISSN Approved Journal

**UGC Approved Journal**  
 no 63975  
 Journal Starting Year (ESTD) : 2014

**Impact Factor**

7.95

[Impact Click Here](#)

**DOI**



[Google Contact Us Click Here](#)

**Important Links**

[Call For Paper](#)

[Publication Guidelines](#)

[Submit Paper Online](#)

[Track Your Paper](#)

[Join As Reviewer](#)

[Join As JETIR Team](#)

Published Paper URL : <https://www.jetir.org/view?paper=JETIR2205B75>  
 Published Paper PDF : <https://www.jetir.org/papers/JETIR2205B75>  
 Available at : <http://www.jetir.org/papers/JETIR2205B75.pdf>

Full Details Text

**Heavy metals Bioaccumulation in different tissues of three bivalve species from Godavari River at Paithan (MS), India**

Authors: Gajanan M. Deshmukh

Registration ID : 403364 | Publication ID : JETIR2205B74

Year : May-2022 | Volume: 9 | Issue: 5 .

Approved ISSN : 2349-5162 | Country : Mehkar, Maharashtra, India .

JETIR DOI Member ID: 10.6084/m9.jetir.JETIR2205B74

No of times Downloads: 00147 | Area: Science.

Published Paper URL : <https://www.jetir.org/view?paper=JETIR2205B74>

Published Paper PDF : <https://www.jetir.org/papers/JETIR2205B74>

Available at : <http://www.jetir.org/papers/JETIR2205B74.pdf>

Full Details Text

**STABILIZATION OF LOCALLY AVAILABLE CLAY WITH BLOOD CLAMSHELL POWDER AS A SUBSTITUTE FOR LIME**

Authors: Reshma P S, Melissa Marian Ninan

Registration ID : 403371 | Publication ID : JETIR2205B73

Year : May-2022 | Volume: 9 | Issue: 5 .

Approved ISSN : 2349-5162 | Country : -, -, India .

JETIR DOI Member ID: 10.6084/m9.jetir.JETIR2205B73

No of times Downloads: 00142 | Area: Engineering.

Published Paper URL : <https://www.jetir.org/view?paper=JETIR2205B73>

Published Paper PDF : <https://www.jetir.org/papers/JETIR2205B73>

Available at : <http://www.jetir.org/papers/JETIR2205B73.pdf>

Full Details Text

**Traumatic Experiences: An analytical study of Oliver Twist or the Parish Boy's Progress by Charles Dickens and Coolie by Mulk Raj Anand**

Authors: Amit

Registration ID : 403373 | Publication ID : JETIR2205B72

Year : May-2022 | Volume: 9 | Issue: 5 .

Approved ISSN : 2349-5162 | Country : -, -, India .

JETIR DOI Member ID: 10.6084/m9.jetir.JETIR2205B72

No of times Downloads: 00144 | Area: Engineering.

Published Paper URL : <https://www.jetir.org/view?paper=JETIR2205B72>

Published Paper PDF : <https://www.jetir.org/papers/JETIR2205B72>

Available at : <http://www.jetir.org/papers/JETIR2205B72.pdf>

Full Details Text

**Deep Learning based Object Detection using Mask RCNN**

Authors: Bhagyashri S. Chandekar, Hirendra R. Hajare

Registration ID : 403404 | Publication ID : JETIR2205B71

Year : May-2022 | Volume: 9 | Issue: 5 .

Approved ISSN : 2349-5162 | Country : Chandrapur, Maharashtra, India .

JETIR DOI Member ID: 10.6084/m9.jetir.JETIR2205B71

No of times Downloads: 00152 | Area: Engineering.

Published Paper URL : <https://www.jetir.org/view?paper=JETIR2205B71>

Published Paper PDF : <https://www.jetir.org/papers/JETIR2205B71>

Available at : <http://www.jetir.org/papers/JETIR2205B71.pdf>

Full Details Text

**PERFORMANCE BASED ANALYSIS OF G+10 MUTISTOREYED BUILDING WITH TRANSFER GIRDERS**

Authors: Santosh Champalal Gadiya, S.N. Daule

Registration ID : 403411 | Publication ID : JETIR2205B70

Year : May-2022 | Volume: 9 | Issue: 5 .

Approved ISSN : 2349-5162 | Country : Ahmednagar, Maharashtra, India .

JETIR DOI Member ID: 10.6084/m9.jetir.JETIR2205B70

No of times Downloads: 00168 | Area: Engineering.

Published Paper URL : <https://www.jetir.org/view?paper=JETIR2205B70>

Published Paper PDF : <https://www.jetir.org/papers/JETIR2205B70>

Available at : <http://www.jetir.org/papers/JETIR2205B70.pdf>

Full Details Text

**HIGHLY SECURED IMAGE STEGANOGRAPHY WITH KEY ENABLED EMBEDDING AND AES**

Authors: PAVITHRA S

WhatsApp  
Contact  
Click Here

Contact Us  
Click Here



# Heavy metals Bioaccumulation in different tissues of three bivalve species from Godavari River at Paithan (MS), India

Gajanan M. Deshmukh

Smt. Sindhutai Jadhao Arts & Science Mahavidyalaya, Mehkar,

Dist: Buldana-443301 (M.S.) India

gmdeshmukh16@gmail.com

**Abstract:** The aim of present study is to determine the heavy metal pollution (Zn, Pb, Cu, Cd, As) in Godavari river at Paithan. Heavy metal concentrations in surface water, soil sediment and different soft body tissues (mantle, gills, digestive glands and whole soft body tissue) of freshwater bivalve, *Lamellidens corrianus*, *Lamellidens marginalis* and *Indonaia caeruleus* were investigated in samples collected from Godavari river at Paithan. In the present study heavy metal concentrations in different soft body tissues of bivalves was highest than heavy metal concentrations in surface water and soil sediment. The digestive gland accumulated highest concentrations of heavy metals as compared to other studied organs in three bivalve species. The bioaccumulation of heavy metals in different soft tissues of bivalve can be used for the detection of polluted area.

**Key words:** Heavy metals, Godavari river, bivalves, bioaccumulation.

## Introduction

The water quality has great importance because water is usually consumed by living organisms. The health of aquatic ecosystem is depends on pollutants from both point and non-point sources, which are related to activities caused by humans. The environmental pollutants can accumulate in the aquatic organisms, because of their poor biodegradability or chemical stability (Sanders, 1997). Several pesticides containing heavy metals are used to control pest of fruit crops, grains and vegetables which are the important source of heavy metal pollution of soil (Verkleji, 1993; Ross, 1994). Human activities like traffic emission and industrial discharge may increase heavy metals into aquatic ecosystems (Nriagu and Pacyna, 1988; Mukherjee, 1989).

Heavy metals cannot degrade like organic pollutants they accumulate mostly in the soil sediment. It has been observed that aquatic sediment accumulate toxic chemicals many times higher than water (Linnik and Zubenko, 2000; Casper et al., 2004). Heavy metals accumulated in sediment can affect on heavy metal concentrations in the aquatic organisms (Pourang, 1996; Yap et al., 2002; Kim and Kim, 2006).

Biomonitoring is defined as regular and systematic use of living organisms to evaluate changes in water quality by assessing biological effect, bioaccumulation, health and integrity of ecosystem (Oost et al., 2003).

Level of pollutants accumulated in tissues of aquatic organisms is used for evaluating the level of pollutants in that ecosystem (Abdallah and Moustafa, 2002). Bioaccumulation of metals into the cell of organism is mainly depends on their ability to pass through the cell membrane (Connell et al., 1999). According to Chapman (1997) bioaccumulation is described as one of the possible tool to be used in biomonitoring. Tissue metal concentrations in mollusc can reveal contamination of aquatic ecosystem and may therefore be used as sensitive biomonitors of pollutant (Hendozko et al., 2010).

Knowledge on accumulation of heavy metals in different soft body tissues of bivalves may help us to understand the process involved in the accumulation of heavy metals by different organs. Szefer et al., (1997) studied distribution of trace metals in soft body tissues of *Mytilus edulis* from the east coast of Kyushu Island, Japan. Cd, Cu and Zn concentration in bivalves, *L. fortunei* and *C. Fluminea* was determined to assess their utilization as bioindicators of metal pollution. The digestive glands, residuals and the adductor muscles of *Modiolus modiolus* was used for monitoring of metal pollution (Chou et al., 2003). The studies on assessment of heavy metal pollution in the straits of Johore by using transplanted caged mussel, *Perna viridis* was carried out by Eugene et al., (2013).

The aim of present study is to determine the concentrations of heavy metals in surface water, soil sediment and different tissues of three freshwater bivalve species, *Lamellidens corrianus*, *Lamellidens marginalis* and *Indonaia caerulus*. The study also determines the potential biomonitoring organ in these bivalve species.

## Materials and Methods

Godavari river is one of the largest river in India originates from Trimbakeshwar (Nashik district of Maharashtra) and ultimately empties into the Bay of Bengal. It is also called as Dakshina Ganga. Surface water, soil sediment and bivalve species (*Lamellidens corrianus*, *Lamellidens marginalis* and *Indonaia caerulus*) were collected from Godavari river at Paithan in Aurangabad district of Maharashtra state, India. The surface water sample is filtered and mixed with HNO<sub>3</sub> and preserved in refrigerator at 4°C until analysis. Soil sediment was collected from 5cm depth and air dried in laboratory, 5gm oven dried sieved (mesh size 0.5mm) powder sample of soil sediment was taken in conical flask. Then about 20ml of concentrated HCL was added in sample. The sample digestion was carried out in laboratory on hot plate by placing watch glass on conical flask for about 1 hour and evaporated to about dryness, the digested sample was ready for heavy metal analysis (Ahmed et al., 2002). Medium sized 10 specimens were selected from *Lamellidens corrianus* and *Lamellidens marginalis* and 20 specimens were selected from *Indonaia caerulus*. The bivalves from three species were dissected within 12 hours of collection and their mantle, gills, digestive glands and whole soft body tissues were removed, washed in distilled water and dried separately at about 70<sup>0</sup>-80<sup>0</sup>C in oven. After complete drying the tissues were powdered and stored separately by labeling the specimen with species and tissue name. The analysis of heavy metal concentrations in surface water, soil sediment and body tissue of bivalves (mantle, gills, digestive glands and whole soft body tissues) was carried out by Atomic Absorption Spectrophotometer.

## Results and Discussion

Heavy metal concentrations were analysed in surface water of Godavari river at Paithan are given in table 1. In the present study heavy metals were observed in surface water of Godavari river at Paithan, this might be due to different sources of contaminant. Agricultural, domestic and industrial waste matter acts as major source of heavy metal pollution (Rashed, 2001; Ravera, 2004, Aksoy et al., 2005). The area of Godavari river basin is known for growing sugarcane, fruits, vegetables and other crops, hence several pesticides containing heavy metals are used to control the pest and these are the source of heavy metal pollution (Verkleji, 1993). Water runoff may bring higher concentrations of metals from anthropogenic activities

including industrial and municipal waste, chemical fertilizers and pesticides used in agriculture (Zacharias et al., 2002; Rajmohan and Elango, 2005).

**Table 1. Heavy metal concentrations in surface water (mg/l), soil sediment (µg/g) and different tissues of freshwater bivalve, *Lamellidens corrianus*, *Lamellidens marginalis* and *Indonaia caeruleus* (µg/g) collected from Godavari river at Paithan.**

Heavy metals		Zn	Pb	Cu	Cd	As
Surface water		0.1126±0.0007	0.0276±0.0004	0.0215±0.0005	0.0079±0.0003	0.0084±0.0002
Highest permitted value for drinking water IS (1991)		15	0.05	1.5	0.01	0.01
Soil Sediment		155.32±1.87	20.08±0.72	51.08±0.65	2.87±0.38	2.68±0.41
<i>Lamellidens corrianus</i>	Mantle	529.6±5.29	145.1±1.73	132.9±1.28	14.26±0.49	2.33±0.34
	Gills	671.9±6.08	184.3±2.68	169.1±1.47	18.42±0.62	2.97±0.57
	Digestive glands	878.2±8.15	191.5±3.15	174.2±2.14	26.03±1.12	3.35±0.85
	Whole soft body tissue	583.5±6.93	167.2±2.82	154.7±1.92	17.08±0.75	2.58±0.69
<i>Lamellidens Marginalis</i>	Mantle	534.7±5.39	138.4±1.38	125.4±1.35	13.15±0.44	2.46±0.40
	Gills	674.2±7.61	172.8±2.39	162.7±1.79	17.93±0.83	3.08±0.73
	Digestive glands	890.3±8.03	178.6±2.90	170.8±2.70	25.17±0.98	3.50±0.92
	Whole soft body tissue	594.6±7.20	162.7±2.26	159.2±1.93	15.20±0.51	2.72±0.71
<i>Indonaia caeruleus</i>	Mantle	526.8±6.42	129.6±1.61	137.3±1.56	16.21±0.68	2.25±0.64
	Gills	661.1±6.55	169.2±2.05	176.8±2.77	20.09±1.05	2.94±0.76
	Digestive glands	842.5±7.82	183.9±2.84	191.9±3.12	28.72±1.20	3.29±0.81
	Whole soft body tissue	568.4±5.89	160.4±2.17	168.5±2.62	18.79±1.02	2.63±0.54

Mean ± Standard deviation

In the present study heavy metal concentration (Zn, Pb, Cu, Cd and As) was highest in soil sediment than surface water (table 1). This indicates accumulation of heavy metals in the sediment over the years (Namminga and Wilhm, 1976). The metal concentration in sediment not only based on anthropogenic sources but also upon the textural characteristic, mineralogical composition, organic matter content and depositional environment of the sediment (Presley et al., 1980). Heavy metal concentrations in soil sediment increase with increase in organic matter content and decrease in the particle size (Halcrow et al., 1973). Many investigators reported that sediments were the main source of heavy metals in the aquatic ecosystems (Cheung et al., 2003; Ikem et al., 2003; Audry et al., 2004).

The heavy metal concentrations were determined in mantle, gills, digestive glands and whole soft body tissue of *Lamellidens corrianus*, *Lamellidens marginalis* and *Indonaia caeruleus* collected from Godavari river at Paithan and obtained results are summarized in table 1. The metal concentrations were found highest in different soft body tissues of bivalves as compared to surface water and soil sediment same results were reported by Deshmukh (2013). In the present study results indicated that different species of bivalve accumulated different concentration of heavy metals. Maha et al., (2008) reported that different species of bivalve have different capacity of heavy metal accumulation from medium into their body tissues. The

interspecific difference in heavy metal accumulation is studied in different species of bivalves by Waykar and Shinde (2011) and Waykar and Deshnukh (2012).

The heavy metal concentrations were determined in different soft body tissues (mantle, gills, digestive glands and whole soft body tissue) of three bivalve species collected from Godavari river at Paithan (table 1). The digestive gland accumulated highest concentrations of heavy metals in three bivalve species as compared to other studied organs the results are in agreement with results reported by several researchers (Waykar and Deshmukh 2012, Bustamante et al., 2004, Zorita et al., 2007). Highest concentrations of Zn accumulation in hepatopancreas is reported by Lakshmanan and Nambisan (1989).

### Conclusion

The present study indicates that heavy metals (Zn, Pb, Cu, Cd, As) concentrations in surface water of Godavari river at Paithan were below the permissible limits (Indian Standard 1991, 10500). Therefore this study clearly indicates that water of Godavari river at Paithan is suitable for drinking and irrigation purposes. The soil sediment accumulated higher concentration of heavy metals than surface water. The freshwater bivalves, *Lamellidens corrianus*, *Lamellidens marginalis* and *Indonaiia caeruleus* is being proposed as sentinel organism for monitoring of heavy metal pollution and used as bioindicator of heavy metal pollution in Godavari river at Paithan. The digestive gland accumulated highest concentrations of heavy metals as compared to other organs, this indicated that digestive gland is potential biomonitoring organ in these bivalve species.

### References

- Abdallah A. T. and Moustafa M. A. (2002): Accumulation of lead and cadmium in the marine prosobranch *Nerita Saxtilis*, chemical analysis, light and electron microscopy. J. Egypt Acad Soc Environ Develop (D-Environ Stud), 2: 93-106.
- Ahmed K., Mehedi M. Y., Haq R. and Ahmed F. (2002): Heavy metal concentration in water and sediment of the Sundarbans reserved forest, Bangladesh. Asian Jr. Microbiol. Biotech. Env. Sc. 4(2): 171-179.
- Oksoy A., Demirezen D. and Duman F. (2005): Bioaccumulation, detection and analysis of heavy metal pollution in Sultan Marsh and its environment. Water, Air and Soil Pollution, 164: 241-255.
- Audry S., Schafer J., Blanc G. and Jouanneau J. M. (2004): Fifty-year sedimentary record of heavy metal pollution (Cd, Zn, Cu, Pb) in the Lot River reservoirs (France). Environ Pollut, 132: 413-426.
- Bustamante P., Teysse J-L., Fowler S. W., Danis B., Cotret O., Miramand P. and Warnau M. (2004): Uptake, transfer and distribution of silver and cobalt in the tissues of the common cuttlefish *Sepia officinalis* at different stages of its life cycle. Marine Ecology Progress Series, 269: 185-195.
- Casper S. T., Mehra A., Farago M. E. and Gill R. A. (2004): Contamination of surface soils, river water and sediments by trace metals from copper processing industry in the Churnet River Valley, Staffordshire, UK, Environmental Geochemistry and Health, 26:59.
- Chapman P. M. (1997): Is bioaccumulation useful for predicting impacts. Mar Pollut Bull, 34(5): 282-283.

- Cheung K. C., Poon B. H. T., Lan C. Y. and Wong M. H. (2003): Assessment of metal and nutrient concentrations in river water and sediment collected from the cities in the Pearl River Delta, South China. *Chemosphere*, 52: 1431-1440.
- Chou C. L., Paon L. A., Moffatt J. D. and Zwicker B. (2003): Bioaccumulation and interrelationship of manganese and zinc in horse mussel *Modiolus modiolus* from Eastern Canada. *Fisheries Science*, 69: 369-378.
- Connell D., Lam P., Richardson B. and Wu R. (1999): Introduction to ecotoxicology. Blackwell Science Ltd, UK, p. 71.
- Deshmukh G. M. (2013): Biomonitoring of heavy metal pollution of Jayakwadi reservoir at Paithan using bivalves as bioindicators. Ph. D. Thesis Dr. B. A. M. University, Aurangabad.
- Eugene Ng, Y. J., Yap, C. K., Zakaria, M. P. and Tan, S. G. (2013): Assessment of heavy metal pollution in the Straits of Johore by using transplanted caged mussel, *Perna viridis*. *Pertanika Journal of Science & Technology*, 21 (1): 75-96.
- Halcrow W., Mackay D. W. and Thornton I. (1973): The distribution of trace metals and fauna in the Firth of Clyde in relation to the disposal of sewage sludge. *J. Mar. Biol. Ass. U. K.* 53: 721-739.
- Hendozko E., Szefer P. and Warzocha J. (2010): Heavy metal in *Macoma balthica* and extractable metals in sediments from the southern Baltic Sea. *Ecotox Environ Saf*, 73: 152-163.
- Ikem A., Egiebor N. O. and Nyavor K. (2003): Trace elements in water, fish and sediment from Tuskegee Lake, southeastern USA. *Water Air Soil Pollut*, 149: 51-75.
- Indian Standard (1991): Bureau of Indian Standards Drinking Water Specifications, IS 10500:1991, New Delhi, India.
- Kim H. and Kim J. G. (2006): Heavy metal concentrations in the mollusc gastropod, *Cipangopaludina chinensis malleata* from Upo wetland reflect the level of heavy metals in the sediments. *J Ecol Field Biol* 29: 453-460.
- Lakshmanan P. T. and Nambisan P. N. K. (1989): Bioaccumulation and depuration of some trace metals in the mussel, *Perna viridis* (L.). *Bull. Environ. Contam. Toxicol.* 43: 131-138.
- Linnik P. M. and Zubenko B. (2000): Role of bottom sediments in the secondary pollution of aquatic environments by heavy-metal compounds. *Lakes and Reservoirs: Research and Management*, 5: 11.
- Maha A. M., Abdallah and Aly M. A. Abdallah (2008): Biomonitoring study of heavy metals in biota and sediments in the South Eastern coast of Mediterranean sea, *Egypt Environ Monit Asses.* 146: 139-145.
- Mukherjee A. B. (1989): The release of cadmium and mercury into the Finnish environment. Ministry of the Environment Environmental Protection Department Report 64: 1-93.



- Namminga H. N. and Wilhm J. (1976): Effects of high discharge and oil refinery clean up operation on heavy metals in water and sediments in skeleton creek. *Proc Okla Acad Sci*, 56: 133-138.
- Nriagu J. O. and Pacyna J. M. (1988): Quantitative assessment of worldwide contamination of air, water and soils by trace metals. *Nature*, 333: 134-139.
- Oost V. R., Beyer J. and Vermeulen N. P. E. (2003): Fish bioaccumulation and biomarkers in environmental risk assessment: A review. *Environ Toxicol Pharmacol*, 13(2): 57-149.
- Pourang N. (1996): Heavy metal concentration in surficial sediments and benthic macroinvertebrates from Anzali Wetland. *Hydrobiologia*, 31: 53-61.
- Presley B.J., Trefry J. H. and Shokes R. F. (1980): Heavy metal inputs to Mississippi Delta sediments. *Water, Air and Soil Pollution*, 13: 481-494.
- Rajmohan N. and Elango L. (2005): Distribution of iron, manganese, zinc and atrazine in groundwater in parts of Palar and Cheyyar River Basins, South India. *Environ. Monit. Assess.*, 107: 115-131.
- Rashed M. N. (2001): Monitoring of the environmental heavy metals in fish from Nasser Lake. *Environment International*, 27: 27-33.
- Ravera O. (2004): Importance and difficulties of research on the metal speciation in the aquatic ecosystem: an ecologist's viewpoint. *Annali di Chimica*, 94: 495-504.
- Ross S. M. (1994): *Toxic metals in soil-plant systems*. Chichester: Wiley.
- Sanders M. J. (1997): A field evaluation of the freshwater river crab, *Potamonautes warreni* as a bioaccumulative indicator of metal pollution. Thesis, Rand Afrikaans University, South Africa.
- Szefer P., Ikuta K., Kushiya S., Szefer K., Frelek K. and Geldon J. (1997): Distribution and Association of Trace Metals in Soft Tissue and Byssus of *Mytilus edulis* from the East Coast of Kyushu Island, Japan *Arch. Environ. Contam. Toxicol.* 32, 184-190.
- Verkleji J. A. S. (1993): The effects of heavy metals stress on higher plants and their use as biomonitors. In: Markert B (ed) *Plant as bioindicators: indicators of heavy metals in the terrestrial environment*. VCH, New York, pp 415-424.
- Waykar B. and Shinde S. M. (2011): Assessment of the metal bioaccumulation in three species of freshwater bivalves. *Bull Environ Contam Toxicol*, 87: 267-271.
- Waykar B. and Deshmukh G. (2012): Evaluation of bivalves as bioindicators of metal pollution in freshwater. *Bull Environ Contam Toxicol*, 88(1): 48-53.
- Yap C. K., Tan S. G., Ismail A. and Omar H. (2002): Genetic variation of green-lipped mussel *Perna viridis* (Linnaeus): from the west coast of Peninsular Malaysia. *Zool Stud*, 241: 376-387.

Zacharias I., Bertachas I., Skoulikidis N. and Koussouris T. (2002): Greek Lakes: Limnological overview. Lakes and Reservoirs: Res. Magnt., 7:55-62.

Zorita I., Apraiz I., Ortiz-Zarragoitia M., Orbea A., Cancio I., Soto M. et al., (2007): Assessment of biological effects of environmental pollution along the NW Mediterranean Sea using mussels as sentinel organisms. Environ Pollut, 148: 236-250.



  
Coordinator - IQAC  
Smt. Sindhutai Jadhao College  
Mehkar, Dist. Buldana